

High value
High quality
High performance
High efficiency
High style



Brighton

Knock Down Patio Door



Features and Specifications



Sunview Patio Doors' value-priced series starts with the most advanced vinyl. A high-grade resin unmatched for strength, weight reduction and freedom from wear – it will not rot, rust, pit or blister over long periods of time. **Door ships knock down** for easy transport and assembly.



Elegant Hardware

Elite handles come as the standard door hardware in white or black. Optional upgrade to Euro handles available in White, Black, Brass, Black Nickel, Satin Nickel or Bright Chrome.



Optional Locks

Two Position Kick Locks mount on the bottom of the operating door. Used as secondary lock when the door is closed. Available in white, beige or brown.

Multi-point Locks provide **two** heavy duty locking points on the door frame. Available on all hardware handles.

Glazing

Outstanding thermal efficiency is realized by a 1" high-performance glazing unit utilizing the most advanced **Low-E** glass, argon gas fill and Quanex **Super Spacer**® technology.

Super Spacer®



Optional Decorative Grills

Internal grills are available in a wide range of design styles with colours that include **Flat** or **Georgian Grills** in Two-Tone or White, and **Pencil** or **Square Grills** in White, Brass or Pewter.




Frame

- weather seals
- 4^{7/8}" mechanically fastened vinyl frame
- Components easily installed and replaceable
- Stainless steel roller track


Durable Welded Sash

- Reinforced with steel to withstand higher wind loads
- Double perimeter seal for superior air-tightness
- Adjustable nylon tandem ball-bearing rollers
- 1" sealed units for optimal thermal performance


Dimensions Door/Panel Configurations and Finished Sizes




OX-Slide left




XO-Slide Right



OXO-Slide R to L or
OZO-Slide L to R



OOX-Slide R or OOX Slide L



OXXO-Slide R and Slide L from Centre

2 Panels

59^{1/2} W x 79^{1/2} H
71^{1/2} W x 79^{1/2} H
95^{1/2} W x 79^{1/2} H

3 Panels


88^{1/2} W x 79^{1/2} H
106^{1/2} W x 79^{1/2} H
142^{1/2} W x 79^{1/2} H

4 Panels

116^{1/2} W x 79^{1/2} H
140^{1/2} W x 79^{1/2} H
188^{1/2} W x 79^{1/2} H

Optional Exterior Colours

A wide range of colour options feature a finish which is U.V. stable, has superior adhesion and is impact resistant.



Performance Brighton Patio Door Series meets NAFS/Class R-PG30 - Type SD

Standard	Air Leakage	Water Penetration Resistance	Design Pressure
AAMA/WDMA/CSA101/1.S.2/A440-08 A440S1-09	A3 - 0.1 L/s.m ²	220 Pa (4.5 psf)	±1920 Pa (±40 psf)



Distributed By:

www.sunviewdoors.com

Our products meet the ENERGY STAR® program guidelines to help protect the environment through superior energy efficiency.





CONTACT

Edmonton Tel.: 587 402 1151

Calgary Tel.: 403 800 1143

Toll-Free 1 855 269 9454

Edmonton

8716 51 Ave NW,
Edmonton, AB
T6E 5E8

Hours

Monday - Friday 9:00 AM - 6:00 PM

Saturday 10:00 AM - 2:00 PM

Sunday Closed

Calgary

5622 Burleigh Crescent SE,
Calgary, AB
T2H 1Z8