

High value
High quality
High performance
High efficiency
High style



Hampton

Patio Door Series



Features and Specifications



Sunview Patio Doors' value-priced series starts with the most advanced vinyl. A high-grade resin unmatched for strength, weight reduction and freedom from wear – it will not rot, rust, pit or blister over long periods of time.



Elegant Hardware

Available in standard White and Black. Optional upgrade to Brass, Nickel, Satin Chrome or Bright Chrome.



Optional Locks

Two Position Kick Locks mount on the bottom of the operating door. Used as secondary lock when the door is closed. Available in white, beige or brown.

Multi-point Locks provide **two** heavy duty locking points on the door frame. Available on all hardware handles.

Glazing

High-performance glazing with **Low-E** glass and **Edgetech Super Spacer®** technology.



Super Spacer®

Optional Decorative Grills

Internal grills are available in a wide range of design styles with colours that include **Flat Grills** in White; **Georgian Grills** in White, Brass or Pewter and **Pencil Grills** in White, Brass and Pewter.




Frame

- Double weather seal
- 4^{7/8}" welded vinyl frame
- Components easily installed and replaceable
- Stainless steel roller track


Durable Welded Sash

- Reinforced with steel to withstand higher wind loads
- Double perimeter seal for superior air-tightness
- Adjustable nylon tandem ball-bearing rollers
- 1" sealed units for optimal thermal performance


Dimensions Door/Panel Configurations and Finished Sizes




OX-Slide left




XO-Slide Right



OXO-Slide R to L or OZO-Slide L to R



OOX-Slide R or OOX Slide L



OXXO-Slide R and Slide L from Centre

2 Panels

59¹/₂ W x 79¹/₂ H
71¹/₂ W x 79¹/₂ H
95¹/₂ W x 79¹/₂ H

3 Panels


88¹/₂ W x 79¹/₂ H
106¹/₂ W x 79¹/₂ H
142¹/₂ W x 79¹/₂ H

4 Panels

116¹/₂ W x 79¹/₂ H
140¹/₂ W x 79¹/₂ H
188¹/₂ W x 79¹/₂ H

Optional Exterior Colours

A wide range of colour options feature a finish which is U.V. stable, has superior adhesion and is impact resistant.



Performance Hampton Patio Door Series meet or exceed the specifications of CAN/CGSB-82.1-M89

Standard	Rating	Water Resistance	Design Load
CAN/CGSB-82.1-M89	A3,B2,C3,E3,F1	260 pa.	2160 pa.
AAMA/WDMA/CSA 101/I.S.2/A440-08	R-PG 35 (1680)	5.25 psf	45 psf



Distributed By:

www.sunviewdoors.com



Our products meet the Energy Star program guidelines for helping businesses and individuals protect the environment through superior energy efficiency.





CONTACT

Edmonton Tel.: 587 402 1151

Calgary Tel.: 403 800 1143

Toll-Free 1 855 269 9454

Edmonton

8716 51 Ave NW,
Edmonton, AB
T6E 5E8

Hours

Monday - Friday 9:00 AM - 6:00 PM

Saturday 10:00 AM - 2:00 PM

Sunday Closed

Calgary

5622 Burleigh Crescent SE,
Calgary, AB
T2H 1Z8